




Pediatric HIV Surveillance

2018

(preliminary)




Diagnoses of HIV Infection among Children Aged <13 Years, by Age at Diagnosis, 2010–2017—United States and 6 Dependent Areas





Diagnoses of HIV Infection among Children Aged <13 Years, by Race/Ethnicity, 2010-2017—United States and 6 Dependent Areas

N = 1,418




^a Hispanics/Latinos can be of any race.






Diagnoses of HIV Infection and Population in Children Aged <13 Years by Race/Ethnicity, 2018—United States



Note. Data for the year 2018 are preliminary and based on 6 months reporting delay.
^a Hispanics/Latinos can be of any race.




Stage 3 (AIDS) Classifications among Persons with Perinatally Acquired HIV Infection, 1985–2017—United States and 6 Dependent Areas





Percentages of Stage 3 (AIDS) Classifications among Children Aged <13 Years with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2017—United States and 6 Dependent Areas




^a Hispanics/Latinos can be of any race.





Persons Living with Diagnosed Perinatally Acquired HIV Infection, Year-end 2017—United States and 6 Dependent Areas

N = 11,924







Persons Living with Diagnosed Perinatally Acquired HIV Infection Ever Classified as Stage 3 (AIDS), Year-end 2017—United States and 6 Dependent Areas

N = 5,793

American Samoa	0
Guam	1
Northern Mariana Islands	0
Puerto Rico	137
Republic of Palau	0
U.S. Virgin Islands	5




Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).





Age Distribution of Persons Living with Diagnosed Perinatally Acquired HIV Infection, Year-end 2017—United States and 6 Dependent Areas

N = 11,924






Rates of Females Aged 15–44 Years Living with Diagnosed HIV Infection by Area of Residence, 2017—United States and Puerto Rico

N = 88,338


Total Rate: 137.0





Diagnoses of Perinatally Acquired HIV Infection among Children Born During 2016, by Area of Residence—United States and Puerto Rico

N = 46



Puerto Rico 0






Diagnoses of Perinatally Acquired HIV Infection among Children, Birth Years 2010–2016, by Area of Residence—United States and Puerto Rico

N = 538

Puerto Rico 2




Note. Data for children residing in, but born outside of, the United States and Puerto Rico are included.





Diagnoses of Perinatally Acquired HIV Infection among Children Born in the United States and Puerto Rico, Birth Years 2010–2016, by Area of Residence

N = 407



Time of Maternal HIV Testing among Children with Diagnosed Perinatally Acquired HIV Infection and Children Exposed to HIV, Birth Years 2010–2016—United States and Puerto Rico

